

SYSTEMS = SENSORS = SOFTWARE

THE GLOBAL LEADER

IN MACHINE VISION AND INDUSTRIAL BARCODE READING

Cognex, the leading supplier of machine vision and industrial barcode reading solutions.

With over 3.5 million systems installed in facilities around the world and over forty one years of experience, Cognex is focused on industrial machine vision and image-based barcode reading technology. Deployed by the world's top manufacturers, suppliers and machine builders, Cognex products ensure that manufactured items meet the stringent quality requirements of each industry.

Cognex solutions help customers improve manufacturing quality and performance by eliminating defects, verifying assembly and tracking information at every stage of the production process. Smarter automation using Cognex vision and barcode reading systems means fewer production errors, which equates to lower manufacturing costs and higher customer satisfaction. With the widest range of solutions and largest network of global vision experts, Cognex is the best choice to help you **Build Your Vision.**™

\$1.04 BILLION 2021 REVENUE

OVER 41
YEARS IN THE BUSINESS

500+
CHANNEL DADTNEDS

GLOBAL OFFICES IN 20+ COUNTRIES

3,500,000+ SYSTEMS SHIPPED





Tens of thousands of applications worldwide inspect billions of products each day, many products that simply could not be manufactured without machine vision technology. Whether verifying the fill levels of soda bottles traveling on a conveyor, reading oil-stained codes on automotive parts or positioning touch screens on smartphones to micron-level accuracy, machine vision technology performs highly-detailed tasks on high-speed production lines.

Cognex comprehensive line of vision sensors and 2D and 3D vision systems all use machine vision technology to perform inspections but are engineered for different tasks







different tasks.	Vision Sensors	2D Vision	3D Vision
Presence/Absence	√	✓	√
Q Defect Detection	√	✓	√
Assembly Verification	✓	✓	✓
Gauge/Measure	\checkmark	✓	\checkmark
Q Cosmetic Inspection		✓	√
Guide/Align		✓	✓
03/04 OCR/OCV	✓	✓	
Code Reading		\checkmark	


DEEP LEARNING TECHNOLOGY

Deep learning technology uses neural networks that mimic human intelligence to distinguish anomalies, locate deformed parts, and read challenging characters while tolerating natural variations in complex patterns. Deep learning complements traditional machine vision approaches, which struggle to appreciate variability and deviation between visually similar parts.


Deep Learning Tools

Capable of processing large, detailed image sets, Cognex Deep Learning tools are designed to automate complex or highly customized applications throughout manufacturing. These tools can perform judgment-based part location, inspection, classification, and character recognition more effectively than humans or traditional machine vision solutions.

Blue Locate: Feature Location and Assembly Verification



Red Analyze: Defect Detection



Blue Read: Character Recognition




Green Classify: Object and Scene Classification



ViDi EL Deep Learning Tools

Using a pre-trained set of deep learningbased algorithms, **ViDi™ EL** tools solve vision applications in minutes. Training requires as few as five to ten images per class, with no coding needed.

ViDi EL Classify: Part Classification




VISION Technology

Industry Leading Object Location

PatMax RedLine® is an accurate, highly repeatable tool that locates trained patterns no matter the size, rotation, or location of the target part. It is ideal for industries and applications that require large fields of view, high accuracy, large angle and scale tolerances, and multiple targets.

PatMax[®] **3D** is an accurate 3D vision tool that locates trained patterns based on its 3D geometry under 6 degrees of freedom (X, Y, Z, Rx, Ry, Rz). It finds 3D objects within a 3D point cloud image and is ideal for locating and identifying objects which are tilted, stacked or not properly seated with a fixture.






Advanced Image Formation Technology

HDR+ is a patent-pending technology that delivers a highcontrast, uniform image in a single acquisition for multi-point inspections of parts with varying depths of field and lighting conditions.

SurfaceFX[™] uses lighting and software algorithms to remove noise and clutter from the surface background and isolate features and defects that are recessed or embossed on parts. It highlights surface defects such as chips, wrinkles, punctures, stamped text, and codes so other vision tools can perform their tasks.








High-Performance 3D Vision

Patented, speckle-free blue laser optical system enables 3D vision systems to capture higher quality images than traditional laser displacement sensors in real-world factory settings.



VISION POWERED BY DEEP LEARNING


Cognex Deep Learning solutions learn to spot patterns and anomalies from reference image examples, which automates and scales complex inspection applications that until now still required human inspectors.


In-Sight 2800 Series

The In-Sight® 2800 vision system combines deep learning technology with traditional rule-based vision tools to solve a range of error-proofing tasks. From simple presence/absence detection to more advanced categorization and sorting applications, this fully integrated vision system offers an easy-to-use solution for automating inspections.









69 _{MM}

Up to 104.4 mm




Up to 109.7 mm

See pages 14-15 for specifications.

In-Sight D900 Series

The In-Sight D900 vision system leverages advanced deep learning-based tools to solve challenging OCR, assembly verification, and defect detection tasks. Processing takes place on-device, which eliminates the need for a PC, simplifying application deployment and bringing the power of deep learning to non-programmers.



See pages 14-15 for specifications.

VisionPro Deep Learning

VisionPro® Deep Learning is a deep-learning based image analysis software that automates highly variable applications by tolerating natural variation, while successfully differentiating between acceptable and unacceptable anomalies. Its graphical, point-and-click programming environment makes it easy to configure jobs and enables users to generate inspection results, fast.

TOOL SET













89.9 mm

95.1 mm





Cognex In-Sight 2D vision systems are unmatched in their ability to inspect, identify, and align parts. These self-contained, industrial-grade vision systems combine a library of advanced vision tools with high-speed image acquisition and processing. A wide range of models, including line scan and color systems, meet most price and performance requirements.



In-Sight 7000 Series

Combines modular integrated lighting and optics for optimal image formation with powerful vision tools and ease of use in a compact footprint for fast, accurate inspections on space-constrained production lines.

RESOLUTION



FEATURES
















In-Sight 8000 Series

Ultra-compact standalone vision systems deliver industry-leading vision-tool performance in the micro form factor of a typical GigE vision camera.

RESOLUTION








In-Sight 9000 Series


Rugged, ultra-high-resolution standalone vision systems equipped with a full suite of In-Sight vision tools solve high accuracy part location, measurement, and inspection applications. Line scan and area scan image acquisition options are available for imaging large continuously moving or stationary objects.





In-Sight 9912 Area Scan

Standalone, ultra-high-resolution 12MP, vision system acquires and processes exceptionally detailed images for high accuracy part location, measurement, and inspection over a large area—even when mounted at longer distances.





50 mm

98 mm

In-Sight 9902 Line Scan

Self-contained vision systems ideal for detailed inspections of large, cylindrical, or continuously moving objects. 1K and 2K modes deliver high-resolution images that can used to detect even the smallest features and defects.





VISION SENSORS

Vision sensors perform simple pass/fail applications that help ensure products and packaging manufactured on an automated production line are error-free and meet stringent quality standards. Cognex vision sensors provide highly reliable inspections thanks to powerful vision tools, integrated lighting, modularity, and an easy-to-use setup environment.


In-Sight 2000 Series

Ideal for solving error-proofing applications, these vision sensors set new standards for value, ease of use, and flexibility and can adapt to virtually any production line environment.

In-Sight 2000 Mini

All the power of the In-Sight 2000 vision sensor in an ultra-compact form factor allows users to deploy vision sensors in machines or production lines with limited mounting space.

RESOLUTION
























52 mm

60 mm






Up to 92 mm



2D VISION APPLICATIONS

Automotive







Food & Beverage











Electronics







Pharmaceutical







MODULAR DESIGN FOR MAXIMUM FLEXIBILITY


When it comes to factory automation, one size rarely fits all. That's why many In-Sight vision systems and vision sensors are designed with modular lights, lenses, and filters. These field-changeable and user-configurable options provide users with ultimate flexibility to customize the system for their specific application and easily adjust as needs change.



Original color image, ambient light



Monochrome camera image with blue light



Polarizers reduce glare or hot spots and enhance contrast so entire objects can be recognized.



No filter specular glare




With a linear polarizer


Color filters create contrast to lighten or darken features of the object.



Original color image



No filter



Blue Bandpass Filter

2D VISION SPECIFICATIONS

	2000 Series	2800 Series	7000 Series	8000 Series	9000 Series	D900 Series
Image						
Imager Type	Monochrome/Color Area Scan	Monochrome/Color Area Scan	Monochrome/Color Area Scan	Monochrome/Color Area Scan	Monochrome/Color Area Scan, Monochrome line scan	Monochrome/Color Area Scan
Resolution	Up to 1.2MP (1280 x 960)	Up to 1.6 MP (1440 x 1080)	Up to 5MP (2448 x 2048)	Up to 5MP (2448 x 2048)	12MP (4096 x 3000), 32MP (2048 x up to 16,384 lines) for line scan	Up to 5MP (2592 x 1944)
Acquisition Speed (Max)	75 fps	Up to 45Hz	Up to 217 fps	Up to 217 fps	Up to 14 fps, 66K lines per second for line scan	Up to 51 fps
Options						
Lenses	S-Mount, Autofocus	S-Mount, Autofocus	C-Mount, S-Mount, Autofocus	C-Mount	C-Mount	C-Mount, S-Mount, Autofocus
Lighting	Integrated	Integrated	Integrated, External light via light control connector	N/A	External light via light control connector (area scan only)	Integrated, External lights via light control connector
Metworking						
Speed			Gigabit Ethernet (1	10/100/1000 Mbps)		
General Protocols	TCP/IP, UDP, FTP, Telnet, RS-232C	TCP/IP, FTP	TCP/IP, UDP, FTP, SFTP, Telnet, SMTP TCP/IP, FTP			TCP/IP, FTP
Industrial Protocols	OPC UA, EtherNet/ IP with AOP, PROFINET Class B, iQSS, Modbus TCP, SLMP/SLMP Scanner, CC-Link IE Field Basic	PROFINET, EtherNet/IP, SLMP, OPC/UA	OPC UA, EtherNet/ IP with AOP, PROFINET Class B, iQSS, Modbus TCP, SLMP/SLMP Scanner, CC-Link IE Field Basic, IEEE 1588 (CIP Sync)	OPC UA, EtherNet/ IP with AOP, PROFINET Class B, iQSS, Modbus TCP, SLMP/ SLMP Scanner, CC- Link IE Field Basic	OPC UA, EtherNet/ IP with AOP, PROFINET Class B, iQSS, Modbus TCP, SLMP/SLMP Scanner, CC-Link IE Field Basic, IEEE 1588 (CIP Sync)	Ethernet/IP with AOP, Profinet Class A, Profinet Class B
2 I/O						
Trigger input	1	1	1	1	1	1
General purpose input	1	1	1		1	1
General purpose output	4	2	2	2	2	2
Bi-Directional		2	2		2 (area scan only)	2
Encoder					2 (line scan only)	
Expansion I/O	CIO-1400		CIO-1400, CIO- Micro	CIO-Micro	CIO-1400, CIO- Micro	

	2000 Series	2800 Series	7000 Series	8000 Series	9000 Series	D900 Series
Mechanical						
Length	In-line: 92 mm (3.61 in), Right-angle: 61 mm (2.42 in)	In-line: Up to 110 mm (4.3 in), Right-angle: Up to 68 mm (2.7 in)	90.1 mm (3.54 in)	75.5 mm (2.97 in)	121.0 mm (4.77 in)	121.0 mm (4.77 in)
Width	60 mm (2.38 in)	Up to 69 mm (2.7 in)	60.5 mm (2.38 in)	35 mm (1.38 in)	60.5 mm (2.38 in)	60.5 mm (2.38 in)
Depth	52 mm (2.05 in)	Up to 104 mm (4.1 in)	Up to 2MP: 35.7 mm (141 in), 5MP: 49.4 mm (1.94 in)	32 mm (1.26 in)	53.4 mm (2.10 in)	53.4 mm (2.10 in)
Protection	IP65	IP67	IP67	IP40	IP67	IP67
S Vision Tools						
Deep Learning		✓				✓
Pattern Matching	✓	✓		✓ Available PatMax	and PatMax RedLine	
Blob	✓		\checkmark	✓	✓	✓
Edge	✓	✓	\checkmark	✓	✓	✓
Measurement	✓	✓	\checkmark	✓	✓	✓
1D/2D Code Reading			✓ IDMax®, PowerGrid®, Hotbars®	✓ IDMax, PowerGrid, Hotbars	✓ IDMax, PowerGrid, Hotbars	√ IDMax
OCR	✓		✓	✓	✓	✓
Flaw Detection			✓	✓	✓	✓
Color Verification	✓		\checkmark	✓	✓	✓
Color Identification			\checkmark	✓	✓	✓
Histogram			✓	✓	✓	√
Brightness	✓	✓	✓	✓	✓	✓
Pixel Counting	✓	✓	✓	✓	✓	✓
Contrast	✓	✓	✓	✓	✓	✓
Image Filters	✓	✓	✓	✓	✓	✓



Whether performing a single profile measurement or scanning an entire surface in 3D, Cognex has the most powerful and robust 3D vision tools. Manufacturers in all industries trust Cognex technology to deliver high accuracy surface feature measurements that go beyond the capabilities of 2D vision technology.

In-Sight 3D-L4000 Series

A unique vision system combining 3D laser displacement technology with a high-performance smart camera allowing factory engineers to quickly, accurately, and cost effectively solve a wide variety of inspections thanks to a comprehensive suite of true 3D vision tools, easy setup, and speckle-free blue laser optics.



















3D-A5000 Series

State-of-the-art area scan 3D camera captures high-resolution 3D point cloud images in a fraction of the time of current methods. Using unique 3D imaging technology, it solves challenging assembly verification, in-line metrology, and robotic guidance applications.

3D RESOLUTION



1.5 million points
















3D-L4000 with VisionPro

Powerful laser displacement sensor with PC-based development environment performs fast, accurate 3D inspections, measurements, and OCR character reading. Equipped with industry-leading 3D vision tool and delivers results in real-world units.

3D RESOLUTION



960-1920 points



FEATURES









DS800 Series

Combining laser triangulation with advanced imaging, this easy-to-use displacement sensor generates highly-detailed 3D renderings of parts under inspection. Unique field calibration technology auto-corrects for errors to offer micron-level accuracy.

3D RESOLUTION



1920 points

FEATURES











DSMax

Quick, high-definition laser displacement sensor for precise 3D inspections of small, detailed parts. Ideal solution for electronic components which can contain highly reflective or dark features.

3D RESOLUTION




FEATURES









3D VISION SYSTEMS SPECIFICATIONS

In-Sight 3D-L4000 Series and 3D-L4000 with VisionPro

	IS3D-L4050	IS3D-L4100	IS3D-L4300
3D Technology	Displacement Sensor		
Clearance Distance (CD)	92.00 mm (3.6 in)	130.00 mm (5.1 in)	180.00 mm (7.1 in)
Measurement Range (MR)	106.00 mm (4.2 in)	235.00 mm (9.3 in)	745.00 mm (29.3 in)
Near FOV	55.00 mm (2.2 in)	75.00 mm (3.0 in)	95.00 mm (3.7 in)
Far FOV	90.00 mm (3.5 in)	180.00 mm (7.1 in)	460.00 mm (18.1 in)
Resolution XY	30.2–49.5 μm	41.7–99.0 μm	54.2–260.4 μm
Resolution Z	2.5–6.9 µm	4.4–25.9 μm	6.9–147.5 µm
Acquisition Rate	Up to 4 kHz		
Protection	IP65		
Software	In-Sight 3D-L4000: In-Sight Vision Suite; 3D-L4000 with VisionPro: VisionPro & Cognex Designer™		

3D-A5000 Series

	3D-A5120	3D-A5060	3D-A5030	3D-A5005
3D Technology	3D LightBurst Technology™ Area Scan			
Clearance Distance (CD)	1000.0 mm (39.4 in)	1400.0 mm (55.1 in)	1465.0 mm (57.7 in)	299.3 mm (11.8 in)
Measurement Range (MR)	1000.0 mm (39.4 in)	400.0 mm (15.7 in)	80.0 mm (3.1 in)	12.0 mm (0.5 in)
Near FOV	900 x 675 mm (35.4 x 26.6 in)	520 x 390 mm (20.1 x 15.4 in)	280 x 210 mm (11.0 x 8.3 in)	60 x 44 mm (2.4 x 1.7 in)
Far FOV	1760 x 1320 mm (69.3 x 52 in)	645 x 490 mm (25.4 x 19.3 in)	285 x 216 mm (11.2 x 8.5 in)	65 x 46 mm (2.6 x 1.8 in)
Resolution XY	626–1223 µm	361–454 μm	195–200 μm	42–44 μm
Resolution Z	414–1656 µm	338–690 μm	178–213 μm	7–8 μm
Acquisition Time	200 msec			
Protection	IP65			
Software	VisionPro & Cognex Designer			

DS800

	DS810	DS820	
3D Technology	Laser Displacement Sensor		
Clearance Distance (CD)	25 mm (1 in)	63 mm (2.5 in)	
Measurement Range (MR)	5 mm (0.2 in)	16 mm (0.6 in)	
Near FOV	10.5 mm (0.4 in)	22 mm (0.9 in)	
Far FOV	11.5 mm (0.5 in)	28 mm (1.1 in)	
Resolution XY	5.8–6.8 μm	11.5–14.5 μm	
Resolution Z	0.37–0.45 μm	1.1 – 1.6 μm	
Acquisition Rate	Up to 10 kHz		
Protection	IP65		
Software	VisionPro & Cognex Designer		

DSMax

	DSMax32T
3D Technology	Laser Displacement Sensor
Clearance Distance (CD)	51.4–62.3 mm (2.0–2.5 in)
Measurement Range (MR)	10.9 mm (0.4 in)
Near FOV	30 mm (1.2 in)
Far FOV	31.5 mm (1.2 in)
Resolution XY	14.6–15.4 μm
Resolution Z	2.5–2.8 μm
Acquisition Rate	Up to 18 KHz
Protection	IP67
Software	VisionPro & Cognex Designer

VISION SOFTWARE

Cognex vision software provides the power and flexibility to solve your most challenging machine vision applications on your own terms. Available in several formats, choose between programmatic or graphical user interfaces to meet your development needs and gain access to the industry's most robust vision tool libraries.

In-Sight Vision Suite

All In-Sight products, from vision sensors to vision systems, are configured with powerful, yet intuitive In-Sight Vision Suite software. The easy-to-use interface walks you step-by-step through the setup process and provides the power and flexibility of the vision spreadsheet for more complex applications. In-Sight Vision Suite also offers the widest range of built-in communication protocols that interface directly to any PLC, robot, or HMI on the factory network.

EasyBuilder

With point-and-click training, the intuitive EasyBuilder development environment guides users through setup, allowing both new and experienced operators to configure vision applications quickly and easily.

Spreadsheet

Access to the spreadsheet provides ultimate application development flexibility without programming.

Easy-to-deploy HMI


Cognex In-Sight sensors and systems offer multiple runtime visualization options — available as a ready-to-deploy LCD touch panel and as a PC application, as well as a platform-independent Web HMI that runs in any internet browser. Both choices allow users to view inspection images and results and to modify setup parameters.






VisionPro

A powerful, PC-based development environment to tackle any vision challenge. VisionPro enables the rapid development of sophisticated vision software through its extensive tool prototyping that allows you to visually define and tune your application, using either traditional rule-based vision or deep learning-enabled smart tools. VisionPro's seamlessly integrated programming interface enables the deployment of highly-customizable applications—no matter the camera or frame grabber—giving you the flexibility to select the exact device needed for your vision application.




PatMax
Object location



LineMax™ Line finding



BeadInspect™Glue bead inspection



SmartLine™ Intelligent line detection

Vision Accessories

A wide variety of industrial cameras, frame grabbers, and I/O factory communication cards for system flexibility.





BUILD YOUR VISION

2D VISION SYSTEMS

Cognex machine vision systems are unmatched in their ability to inspect, identify and guide parts. They are easy to deploy and provide reliable, repeatable performance for common to complex tasks.

www.cognex.com/machine-vision







3D VISION SYSTEMS

Cognex laser profilers and area scan 3D vision systems provide ultimate ease of use, power and flexibility to achieve reliable and accurate measurement results for the most challenging 3D applications.

www.cognex.com/3D-vision-systems







VISION SOFTWARE

Cognex vision software provides industry leading vision technologies, from traditional machine vision to deep learning-based image analysis, to meet any development needs.

www.cognex.com/vision-software







BARCODE READERS

Cognex industrial barcode readers and mobile terminals with patented algorithms provide the highest read rates for 1D, 2D and DPM codes regardless of the barcode symbology, size, quality, printing method or surface.

www.cognex.com/barcodereaders







COGNEX

Companies around the world rely on Cognex vision and barcode reading to optimize quality, drive down costs and control traceability.

Corporate Headquarters One Vision Drive Natick, MA 01760 USA

Regional Sales Offices

Americas North America Brazil

+1 844-999-2469 +55 11 4210 3919 +800 733 4116

Europe

Mexico

 Austria
 +49 721 958 8052

 Belgium
 +32 289 370 75

 France
 +33 1 7654 9318

 Germany
 +49 721 958 8052

Hungary +36 800 80291 +44 121 29 65 163 Ireland Italy +39 02 3057 8196 +31 207 941 398 Poland +48 717 121 086 Spain +34 93 299 28 14 +46 21 14 55 88 Switzerland +41 445 788 877 Turkey +90 216 900 1696 United Kingdom +44 121 29 65 163 Asia China India Japan Korea Malaysia Singapore

Taiwan

Thailand

Vietnam

www.cognex.com

© Copyright 2022, Cognex Corporation. All information in this document is subject to change without notice. Cognex, PatMax RedLine, PatMax, In-Sight, VisionPro, EasyBuilder, IDMax, 2DMax, PowerGrid, and Hotbars are registered trademarks of Cognex Corporation. Build Your Vision, ViDi, 1DMax, and SurfaceFX are trademarks of Cognex Corporation. All other trademarks are the property of their respective owners. Printed in the USA. Lit. No. VG9001-04-2022-EN